

**ADAMS RITE, BOOTH #8061** The new RITE Touch digital glass door from Adams Rite, an Assa Abloy company, features a thin, low-profile design and sleek Magic Mirror user interface. It requires no holes or other modifications to the door, making installation quick and easy. The lock offers dual credential access control via card reader or PIN code. **To request more info, visit [www.securityinfowatch.com/11313651](http://www.securityinfowatch.com/11313651)**



**AES-INTELLINET, BOOTH #6034** The Network Connectivity Tool (NCT) and Configuration and Diagnostic Tool (CDT) from AES-Intellinet provide an easy way for dealers and installers to test locations for network connectivity and to configure and diagnose the company's alarm monitoring products; thus driving installation costs even lower. **To request more info, visit [www.securityinfowatch.com/11300438](http://www.securityinfowatch.com/11300438)**



**AFFILIATED MONITORING, BOOTH #14099** When an alarm is triggered, your customer needs to know what is happening as soon as possible, no matter where they are. With Affiliated Monitoring's InView Video Alerts, the security system and video surveillance system work together to enable a customer to monitor an alarm situation on a smartphone or tablet. **To request more info, visit [www.securityinfowatch.com/11313676](http://www.securityinfowatch.com/11313676)**



**AIPHONE, BOOTH #22109** The JO Series Video Intercom from Aiphone conveniently identifies visitors at locked doors. Inside stations feature easy-to-use touch buttons and a large, 7-inch video screen. The unit can accommodate one door and up to two inside stations. Ready-to-install box sets include one door station, one inside station and power supply. **To request more info, visit [www.securityinfowatch.com/11117676](http://www.securityinfowatch.com/11117676)**



**ALARM LOCK, BOOTH #12043** Trilogy Networkx Wireless Locks (PL, PDL and DL-Series) from Alarm Lock are now integrated with Lenel OnGuard v6.6 and 6.5, as well as with Continental CardAccess 3000. This makes the locks a real-time wireless access control solution for seamless use on either platform as an intelligent edge device. **To request more info, visit [www.securityinfowatch.com/10216505](http://www.securityinfowatch.com/10216505)**



**ALLEGION, BOOTH #20031** The Schlage CO-220 Standalone classroom security lock from Allegion provides visual lockdown indication from inside the classroom. It enables teachers to press a button on a remote fob to initiate immediate lockdown in time of crisis from anywhere in their classroom. The fob can be worn around the neck or on the wrist. **To request more info, visit [www.securityinfowatch.com/11175174](http://www.securityinfowatch.com/11175174)**



**ALTRONIX, BOOTH #23057** The Net-Way 4ES from Altronix is a four-port managed switch that transmits IP data and power for up to four IP devices over a single Ethernet cable. A management feature provides local or remote status monitoring with the ability to reset devices. The switch is sold individually or as a kit. **To request more info, visit [www.securityinfowatch.com/11175909](http://www.securityinfowatch.com/11175909)**



**AMAG TECHNOLOGY, BOOTH #16099** The Symmetry SR-2000 Controller from AMAG is a four-door control panel that delivers proven access control technology and is designed for new and retrofit security applications. It joins AMAG's lineup of control panels which are designed for plug-and-play upgrade of Picture Perfect and other legacy Casi Rusco and similar systems. **To request more info, visit [www.securityinfowatch.com/11313684](http://www.securityinfowatch.com/11313684)**



**AMERICAN DYNAMICS, BOOTH #20011** The Illustra 825 Fisheye Camera from Tyco's American Dynamics features ultra-smooth digital pan-tilt-zoom (PTZ) movements for capturing



is for  
**EXHIBITS**

Training • Exhibits • Conference



Tired of fighting your way past hungry badge scanners and booth bunnies to find someone who has the answers you seek? TEC 2014 is dedicated to real conversations about products, applications, and answering your questions. Think you know booth shows? Think again.

The value of TEC is obvious: **TEC** vs. **them**

The LOWEST registration prices in the security industry	✓	X
Show floor hours do not compete with educational sessions	✓	X
Owner companies can attend for FREE using PSA Training Bucks	✓	X



Need more reasons? Scan the QR code or visit [www.psaTEC.com](http://www.psaTEC.com) today!



**ProTECt your future**

May 5 - 9, 2014 | Westminster, CO | [www.psaTEC.com](http://www.psaTEC.com)

Request information: [www.securityinfowatch.com/10214742](http://www.securityinfowatch.com/10214742)



ing real-time 180°/360° panoramic views of wide areas. Leveraging 5 megapixels, the camera can provide a 360° view of a lobby using a ceiling mount or a 180° view of a room using a wall mount. **To request more info, visit [www.securityinfowatch.com/11310126](http://www.securityinfowatch.com/11310126)**

**ANTAIRA TECHNOLOGIES, BOOTH #3050** Designed to isolate and protect connected equipment from surges, spikes and electrostatic discharges carried on serial cable to fiber optic cable, the Antaira STF 400C and 500C series are built to withstand industrial networking hazards like shock, drop, vibration, electromagnetic interference (EMI) and temperature extremes. **To request more info, visit [www.securityinfowatch.com/11201215](http://www.securityinfowatch.com/11201215)**



**ARECONT VISION, BOOTH #8045** Surround-Video Omni Cameras from Arecont Vision feature four multi-megapixel sensors that can be individually adjusted to capture different fields of view within a full 360° range. This allows a single camera to provide coverage of a wide area including views directly under the camera or multiple fields of view using different lens options. **To request more info, visit [www.securityinfowatch.com/11182378](http://www.securityinfowatch.com/11182378)**



**ASSA ABLOY – SARGENT/CORBIN RUSSWIN, BOOTH #8061** Assa Abloy's IN120 Wi-Fi lock combines secure wireless electronic access control with a sleek, attractive design. Available from brands Corbin Russwin and SARGENT, it is ideal for hard-to-wire locations, thanks to standard IEEE 802.11b/g/n Wi-Fi connectivity. The lock's integrated ANSI/BHMA Grade 1 hardware is available in cylindrical and mortise lock configurations. **To request more info, visit [www.securityinfowatch.com/11118333](http://www.securityinfowatch.com/11118333)**



**AUTOMATIC CONTROL SYSTEMS, BOOTH #5077** Available in narrow or wide lane versions and single or double swing doors in 24 or 120 volt power configuration, SlimLane swing door security entrance lanes from Automatic Control Systems offer IP connectivity. It is also UL 2593 listed to help satisfy the most stringent of building and safety codes. **To request more info, visit [www.securityinfowatch.com/11313706](http://www.securityinfowatch.com/11313706)**



**AVENTURA TECHNOLOGIES, BOOTH #7103** Aventura will be showcasing the first H.265 HEVC (High Efficiency Video Coding) solutions at ISC West. The company's H.265 high-definition and high efficiency network security cameras and recorders provide equivalent video quality to H.264 with half the



requirements for bandwidth and storage or double the quality with the same bitrate. **To request more info, visit [www.securityinfowatch.com/11174229](http://www.securityinfowatch.com/11174229)**

**AVIGILON, BOOTH #22031** The new HD Pro camera from Avigilon delivers high-resolution images with the company's next-generation bandwidth management technology to effectively provide maximum detail and coverage of expansive areas. Available in 8 MP, 12 MP and 16 MP, the camera provides high quality, detailed coverage of vast areas with fewer conventional cameras required. **To request more info, visit [www.securityinfowatch.com/11297016](http://www.securityinfowatch.com/11297016)**



**AXIS COMMUNICATIONS, BOOTH #14059** A fixed camera for around-the-clock outdoor surveillance, the AXIS Q1765-LE Network Camera with built-in infrared (IR) LEDs and outdoor-ready enclosure features 18x motorized optical zoom with autofocus for covering long distances in 1080p resolution. The bullet-style network camera is designed for monitoring entrances, exits, perimeters, parking lots and streets with pole mounting options. **To request more info, visit [www.securityinfowatch.com/11191614](http://www.securityinfowatch.com/11191614)**



**BARCODE AUTOMATION, BOOTH #22135** Barcode Automation will showcase its Model BA-440 Dual-Beam Barcode Reader, which uses laser technology to automatically scan



barcode decals applied to vehicles, working as a hands-free system for vehicle identification that is immune to radio and solar interference. **To request more info, visit [www.securityinfowatch.com/11313735](http://www.securityinfowatch.com/11313735)**

**BARIX, BOOTH #31099** The Barix Simple Paging solution was created to transition schools and businesses to digital PA systems while leveraging existing networks, keeping costs manageable and offering a simple learning curve. The solution typically includes several low-cost Exstreamer decoders and one or more optional master paging stations. **To request more info, visit [www.securityinfowatch.com/11313741](http://www.securityinfowatch.com/11313741)**



**BCDVIDEO, BOOTH #23027** BCD-Video will be introducing its 6U 280TB Genetec-ready storage server at ISC West. This dual-channel storage controller architecture allows for a second cabinet, enabling up to 560TB of 6G SAS storage in a mere 11U of valuable rack space. The unit uses 6G SAS technology and comes standard with a five-year warranty. **To request more info, visit [www.securityinfowatch.com/11313749](http://www.securityinfowatch.com/11313749)**

**BOON EDAM, BOOTH #8037** Boon Edam's Speedlane and Swinglane optical turnstiles ensure that only authorized users are allowed to enter a secured area. Authorization can be achieved through a card reader or biomet-



ric reader or through a remotely operated universal control panel. BoonTouch (pictured) is the company's next generation universal control panel. **To request more info, visit [www.securityinfowatch.com/10916662](http://www.securityinfowatch.com/10916662)**

**BOSCH, BOOTH #14051** The FLEXIDOME HD VR cameras from Bosch offer a choice of imaging capabilities for superior HD video in locations with limited ambient light, in challenging scenes with bright and dark areas, and in well-lit applications. The cameras provide intelligent Dynamic Noise Reduction, which keeps bandwidth and storage requirements at a minimum. **To request more info, visit [www.securityinfowatch.com/10983177](http://www.securityinfowatch.com/10983177)**



**BRIEFCAM, BOOTH #20060** BriefCam Syndex video review tools enable users to gain access to immediate, actionable information from their video. It is offered as a standalone or as an integrated/embedded product within the VMS environment. **To request more info, visit [www.securityinfowatch.com/11313787](http://www.securityinfowatch.com/11313787)**

## Cut Strip Terminate Test

### 22-in-1 Security Screwdriver Kit

*The perfect set for security installers... never be without the right screwdriver. Features a non-slip, comfort grip handle with 11 double sided security shaft style bits. Includes multiple sizes of security Torx®, hex and Robertson along with spanners and tri-wings. Includes standard hex & torx screws, slotted and Phillips head bits. P/N 19105*

**New!**

More Info

Since 1997 we have delivered on one very straight forward mission... to develop, manufacture and source the absolute best possible solutions for the preparation, installation, hand termination and testing of wire and cable.

**PLATINUM TOOLS**  
We Make Connections EZ

Visit [platinumtools.com](http://platinumtools.com) to see all our Cut, Strip, Terminate & Test solutions and a distributor near you. 805 384 2777

Custom Electronics Security Datacom Telecom Electrical

Request information: [www.securityinfowatch.com/10216200](http://www.securityinfowatch.com/10216200)





**BRIVO, BOOTH #30044** Brivo OnAir version 10.11 — the new brand name for the former Brivo ACS WebService cloud-based access control management solution — features an updated User Interface (UI) that is streamlined and designed for usability, reducing the learning curve and simplifying both system deployment and day-to-day security management. It also includes simplified search capabilities. **To request more info, visit [www.securityinfowatch.com/11174143](http://www.securityinfowatch.com/11174143)**

**CANON USA, BOOTH #20075** The ultra-compact S-series network cameras from Canon have been designed for indoor environments that require monitoring of specific areas or items, such as in the retail, education, commercial and hospital-ity sectors. PoE (Power over Ethernet) and ON-VIF Profile-S Conformance allow easy installation as part of a new or existing security network. **To request more info, visit [www.securityinfowatch.com/11201314](http://www.securityinfowatch.com/11201314)**



**CODE BLUE, BOOTH #11099** The IP1500 and IP2500 emergency speakerphones from Code Blue are ideal for a range of indoor and outdoor locations such as hallways, stairwells, classrooms, subway cars, parking garages, elevators and door entries. Combined with the company's signature Help Points and recently released Blue Alert First Responder software, they provide a complete security solution. **To request more info, visit [www.securityinfowatch.com/11117898](http://www.securityinfowatch.com/11117898)**


**COGNITEC, BOOTH #21124** The latest version of Cognitec Systems' FaceVACS-VideoScan video screening and analysis product performs real-time identity checks against image databases while computing the count, flow, demographics and behavior of people visible in video streams. It detects people's faces in live video streams or video footage and stores it for later review. **To request more info, visit [www.securityinfowatch.com/10878028](http://www.securityinfowatch.com/10878028)**



**COMNET, BOOTH #4093** ComNet's CNGE2FE4SMS six-port Self-Managed Ethernet switch can support a large number of IP cameras depending on the selected camera's bit rate. It has four copper TX ports and two Gigabit SFP Ethernet ports that allow the Ethernet data from the four TX ports be combined and uplinked through

the Gbps SFP port. **To request more info, visit [www.securityinfowatch.com/11239040](http://www.securityinfowatch.com/11239040)**

**CONTINENTAL ACCESS, BOOTH #12043** CA3000 version 2.9 software from Continental Access provides robust access control functionality and seamless integration with alarms, locking and a growing list of video systems. New features include the ability to run the software and associated applications as Windows services, and the ability to control access to the GUI using Lightweight Directory Access Protocol (LDAP). **To request more info, visit [www.securityinfowatch.com/10834305](http://www.securityinfowatch.com/10834305)**



**COOPER NOTIFICATION, BOOTH #23075** Cooper Notification has introduced IP network-based Mass Notification Systems (MNS) — the newest in the company's ALERTY line of unified interoperable platform. Offering WAVES over IP (WoIP) for emergency communications, they allow organizations to leverage their Local Area Network (LAN) or use the IPC private network to send audible, visual and data messages. **To request more info, visit [www.securityinfowatch.com/11313803](http://www.securityinfowatch.com/11313803)**




**CYBERLOCK, BOOTH #19116** The CyberKey Air is a Wi-Fi-enabled, programmable smart key compatible with CyberLock's electronic cylinders that enables real-time monitoring of access event information. The key can be programmed with access schedules and permissions, and a battery energizes the electronics in the cylinder, eliminating the need for power or wiring at the lock. **To request more info, visit [www.securityinfowatch.com/11313809](http://www.securityinfowatch.com/11313809)**



**DELTA SCIENTIFIC, BOOTH #17133** The DSC207 Embassy barricade from Delta Scientific is a fully enclosed, shallow-foundation wedge barricade with covered front and sides. In a full scale crash test conducted by an independent test lab, it met the criteria for an M50/K12 rating. It features a small footprint, a new programmable drive system and is extremely service-able. **To request more info, visit [www.securityinfowatch.com/10344536](http://www.securityinfowatch.com/10344536)**

**DESIGNED SECURITY INC., BOOTH #6071**

Slimline Series Optical Turnstiles from DSI are an award-winning solution for lobby access control that combines an elegant acrylic design with a turnstile barrier measuring less than seven inches wide. The units enable more turnstiles to fit within today's space-constrained building lobbies, while a programmable LCD display enables customization of points of entry. **To request more info, visit [www.securityinfowatch.com/11118792](http://www.securityinfowatch.com/11118792)**



**DVTEL, BOOTH #21109** Available in fixed and pan-tilt versions, the ioimage Thermal surveillance cameras from DVTEL with associated ioimage video analytics feature a low-power, lightweight design with multiple lens options. Powered by DRS Technologies, the cameras can be bundled with ioimage analytics encoders to create an automated detection solution for multiple markets. **To request more info, visit [www.securityinfowatch.com/11305369](http://www.securityinfowatch.com/11305369)**



**EK ECESSORIES, BOOTH #16133** The i5 Guardian for the iPhone 5/5s is a phone case with an integrated shielded card holder. It features a retention lanyard that protects the phone from damage and loss while a card holder reduces wear and tear on cards and protects against thieves that use RFID readers to access information. **To request more info, visit [www.securityinfowatch.com/11313834](http://www.securityinfowatch.com/11313834)**

**ELK PRODUCTS, BOOTH #7033**

The ELK-6050 Wireless Smoke Detector provides a two-way wireless solution with a built-in sounder and rapid "rate-of-rise" temperature detection. In the event of a fire alarm, whether detected by the ELK-6050 or another source, two-way wireless technology allows ELK M1 controls to activate the detectors' built-in sounders. **To request more info, visit [www.securityinfowatch.com/11306144](http://www.securityinfowatch.com/11306144)**



**EXCAQ TECHNOLOGIES, BOOTH #20011** Version 5.10 of the exacqVision VMS software adds support for the new exacqVision ESM (Enterprise Sys-

**MEGAPIXEL HD CCTV over COAX**

**VT-HDOC16**  
Real Time 1080P Images with Zero Latency! Hybrid HD-SDI/Analog/960H in any combination up to 16 channels! Up to 15 Terabytes Internal Storage plus E-SATA!

**VT-HDOC8**  
8 CH HD-SDI/Analog inputs (hybrid) with Full 1080p Camera Support

**VT-HDOC4**  
4 CH HD-SDI inputs with Full 1080p Camera Support

Local Management, Viewing Interface & Remote Viewing from anywhere with Internet Explorer

Remote Viewing Apps for iPhone, iPad & Android

Visit **VITEK** at booth **2065**

**VITEK**  
INDUSTRIAL VIDEO PRODUCTS, INC.  
An Eye On Innovation [www.vitekccv.com](http://www.vitekccv.com)





tem Manager) product, sold separately from Exacq Technologies. The ESM server software monitors the health and status of exacqVision servers and cameras on the network. Users can access the ESM interface through most web browsers. **To request more info, visit [www.securityinfowatch.com/11313852](http://www.securityinfowatch.com/11313852)**

**FLIR, BOOTH #22053** FLIR's DNZ30TL2R HD 30X PTZ IP Speed Dome features a powerful 30X optical zoom that is ideal for clear identification over wide area applications such as parking lots, airport tarmacs, harbor fronts or highways. It is built rugged with a weatherproof enclosure plus ArcticPro technology for harsh climates. **To request more info, visit [www.securityinfowatch.com/11313857](http://www.securityinfowatch.com/11313857)**



**FLUIDMESH NETWORKS, BOOTH #22129** The FM 1200 VOLO from Fluidmesh is a 2x2 MIMO (Multiple Inputs Multiple Outputs)-based wireless radio designed for backhauling mission-critical video, voice and data. Features include a fully redesigned hardware platform that's intuitive and easy to deploy, 30 degrees beam width, 16.5 dBi antenna and the Prodigy 2.0MPLS-based wireless switching engine. **To request more info, visit [www.securityinfowatch.com/10916546](http://www.securityinfowatch.com/10916546)**

**FST21, BOOTH #5065** SafeI, a fully integrated access control controller, enables the technological advantages of FST21's SafeRise solution (an identification system that allows access through a fusion of biometric recognition, voice and license plate recognition), in a more compact version. SafeI comes in a standalone plug-and-play enclosure, and is the driving force behind FST21's Digital Doorman solution. **To request more info, visit [www.securityinfowatch.com/11313865](http://www.securityinfowatch.com/11313865)**



**GALAXY CONTROL SYSTEMS, BOOTH #10045** System Galaxy Software emphasizes connectivity, interfacing with all legacy Galaxy hardware and infrastructure. Features include active directory support for real-time identity management, individualized identity-based door access and audit reports for each screen view or credential holder. Data can be shared with visitor management, time clocks, parking garage systems, etc. **To request more info, visit [www.securityinfowatch.com/11174352](http://www.securityinfowatch.com/11174352)**

**GENETEC, BOOTH #23027** Genetec will demonstrate its flagship Security Center (version 5.2) system, with advanced unification of security and operational capabilities. Following its latest strategic partnership announcement with Assa Abloy, Genetec will feature new hardware support for WiFi, PoE, and wireless locks for the Synergis access control system and Synergis Master Controller (SMC). **To request more info, visit [www.securityinfowatch.com/10916780](http://www.securityinfowatch.com/10916780)**



**GENTEX CORP., BOOTH #12109** The GEP and GEPS Series wall mount expander plate is used in conjunction with a Gentex speaker or wall mount speaker/strobe for Mass Notification System (MNS) and Emergency Communication Systems (ECS) applications. The expander plates allow for the combination of multiple devices on a single electrical box, improving aesthetics and lowering installation costs. **To request more info, visit [www.securityinfowatch.com/11239265](http://www.securityinfowatch.com/11239265)**



**HES, BOOTH #8061** The KS100 Server Cabinet Lock from HES, an Assa Abloy company, is a wireless access control lock that is specifically designed to provide improved security in server rooms. It leverages Apero technology, which enables mechanical locks to be wirelessly linked to a new or existing electronic access control system. **To request more info, visit [www.securityinfowatch.com/11313883](http://www.securityinfowatch.com/11313883)**



**HID GLOBAL, BOOTH #11053** HID Global's iCLASS SE platform is the company's standard for highly adaptable, interoperable and secure access control solutions. It includes eco-friendly, field upgradeable readers that support Open Supervised Device Proto-

col (OSDP), smart cards and microprocessor based cards, including state-of-the-art iCLASS Seos credentials that are portable for use on smartphones. **To request more info, visit [www.securityinfowatch.com/10342595](http://www.securityinfowatch.com/10342595)**



**HONEYWELL POWER, BOOTH #11033** Honeywell's new MIP-2 and MIP-2UD communicators eliminate the expense of phone lines traditionally used for alarm monitoring. Using its upload/download capabilities, dealers can access system information remotely. The communicators connect to a security panel's dialer ports, enabling them to report alarm information from any system that uses Contact ID protocol. **To request more info, visit [www.securityinfowatch.com/11313899](http://www.securityinfowatch.com/11313899)**



**HONEYWELL SECURITY, BOOTH #14025** Honeywell's VISTA Automation Module (VAM) enables security dealers to offer affordable home automation to customers who own VISTA security systems. It can control up to 40 Z-Wave devices, including thermostats, locks and light fixtures, and it supports up to six cameras to help installers create connected homes with security technology at the core. **To request more info, visit [www.securityinfowatch.com/11313906](http://www.securityinfowatch.com/11313906)**



**IC REALTIME, BOOTH #23005** The ClearView CCTV line from IC Realtime consists of an assortment of IP cameras, recorders and accessories, including indoor and outdoor internet Pan/Tilt/Zoom (PTZ), dome, bullet and covert cameras; varying levels of DVRs, NVRs and touch-screen DVR combos; complete pre-packaged IP network camera kits, and more. **To request more info, visit [www.securityinfowatch.com/11309137](http://www.securityinfowatch.com/11309137)**



**INDIGOVISION, BOOTH #3077** The IndigoVision Ultra 5K has an ultra-high resolution of 5,000 horizontal pixels, delivering wider scene coverage from a single camera. Features include powerful digital zoom, CMOS sensor with Global Shutter and Wide Dynamic Range. Image processing performance of 120 Megapixels per second gives 6 frames per second video. **To request more info, visit [www.securityinfowatch.com/11282732](http://www.securityinfowatch.com/11282732)**



**INOVONICS, BOOTH #16109** Inovonics and Mercury Security have partnered to enable Mercury's OEM partners to incorporate Inovonics' mobile duress wireless network within its access control platform. Using PSIA's Area Control open standards, Mercury will integrate its hardware with the EN6080 Area Control Gateway (pictured) for an access control platform with enterprise mobile duress capabilities. **To request more info, visit [www.securityinfowatch.com/10890771](http://www.securityinfowatch.com/10890771)**



**OnCue HD CCTV**  
2.0MP HD-SDI

MEGAPIXEL  
**HD CCTV over COAX**

IP68 Vandal Resistant WDR True Day/Night Dome Camera with 2.8-12mm Adjustable Zoom and advanced OSD

20x 2.0 MegaPixel Xpress Dome PTZ Exmor ICR Day/Night Function

IP68 Vandal Resistant WDR True Day/Night Bullet Camera with 2.8-12mm Externally Adjustable Zoom, 200' IR Range and advanced OSD

Visit **VITEK** at booth 2065

**VITEK**  
INDUSTRIAL VIDEO PRODUCTS, INC.  
An Eye On Innovation  
[www.vitekccv.com](http://www.vitekccv.com)



**IONNISCIANT, BOOTH #31051 (CISCO)** The iQ-Smart City solution from iOmniscient is a comprehensive portfolio of advanced analytics capabilities for managing people and traffic in a modern city. It includes technologies based on Advanced Video Analytics in addition to sound (e.g. detecting gunshots, breaking glass, fights, etc.) and smell (e.g. detect gas leaks or spray-painted graffiti) analytics. **To request more info, visit [www.securityinfowatch.com/11314809](http://www.securityinfowatch.com/11314809)**



**IPVIDEO CORP., BOOTH #29087** IPVideo Corp. will introduce Sentry VMS 6.0 at ISC West, a scalable and easy to use end-to-end VMS. Featuring a new look, the software includes a new graphical user interface, advanced video archival search, increased video playback and viewing options, cutting-edge file security and access features, and timeline playback with thumbnails. **To request more info, visit [www.securityinfowatch.com/11313922](http://www.securityinfowatch.com/11313922)**



**IQINVISION, BOOTH #25109** The newest generation of the Alliance-mini from IQinVision not only includes the increased processing power needed to run analytics or VMS applications at the edge, it also features WDR, on-camera storage and true day/night capability. Available in H.264 vandal dome models with support for HD720p, HD1080p, and 3MP resolutions (5MP coming Q1 2014). **To request more info, visit [www.securityinfowatch.com/11248279](http://www.securityinfowatch.com/11248279)**



**IVEDA SOLUTIONS, BOOTH #9117** VEMO is Iveda's new cloud-based, in-vehicle video surveillance system with Global Positioning System (GPS) satellite navigation technology. It combines video equipment and Iveda's mobile streaming video hosting service. It is suited for law enforcement, school buses, emergency response vehicles and commercial transportation vehicles. **To request more info, visit [www.securityinfowatch.com/11173264](http://www.securityinfowatch.com/11173264)**



**JVC, BOOTH #23067** JVC's new VN-H657U PTZ HD Megapixel Camera features an 18X optical zoom lens and 10X electronic zoom (total 180X zoom capability) with a 2-megapixel image sensor to provide extreme detail for real-time and forensic viewing. Meeting ONVIF Profile-S, other features include JVC's Super LoLux HD processing; H.264/JPEG dual streaming; 3D noise reduction and more. **To request more info, visit [www.securityinfowatch.com/11313937](http://www.securityinfowatch.com/11313937)**



**KABA ADS AMERICAS, BOOTH #12101** Bio-Gard Pro from Kaba combines the LA GARD ComboGard Pro Safe Lock with the AX.S Embedded Access Control System and I.A.M. Biometric Fingerprint Key to create a comprehensive system that protects assets while tracking and capturing data. The solution can be standalone or as part of an AX.S Access Control System. **To request more info, visit [www.securityinfowatch.com/11248213](http://www.securityinfowatch.com/11248213)**



**KANTECH, BOOTH #20011** Ideal for convenience stores, storage rooms or parking lots, Kantech's ioPass SA-550 Stand Alone Door Controller brings the reader and controller together in a software-free solution. It offers an integrated 26-bit Wiegand io-Prox proximity card reader that can store up to 1,000 users and supports up to eight door configurations. **To request more info, visit [www.securityinfowatch.com/11293665](http://www.securityinfowatch.com/11293665)**



**KBC NETWORKS, BOOTH #17127** KBC Networks will feature its latest wireless HT line at ISC West, which enables customers to obtain higher throughput levels over their wireless links. Demonstrated to provide in excess of 230Mbps across a wireless link, the units also feature a Gigabit port, making them ideal for backhaul and megapixel camera installations. **To request more info, visit [www.securityinfowatch.com/11176691](http://www.securityinfowatch.com/11176691)**



**KERI SYSTEMS, BOOTH #4071** Keri's GIOX Greater Input/Output Module expands the flexibility of any installation by providing additional access control functionality as well as sophisticated input monitoring and



I/O linkage macro capability for NXT hardware-based systems with large numbers of sensors and devices. It is comprised of a motherboard with connectors to attach Input and Output boards. **To request more info, visit [www.securityinfowatch.com/11313942](http://www.securityinfowatch.com/11313942)**

**KWIKSET, BOOTH #23000** Kwikset's SmartCode 914 Deadbolt with Home Connect technology features a new exterior style design and reduced interior size for enhanced aesthetics inside and outside the home. With a completely redesigned quiet-drive locking system, the deadbolt features a 10-digit back-lit pushbutton keypad, UL certification with 20-minute fire rating and BHMA Grade 2 Certification. **To request more info, visit [www.securityinfowatch.com/11296951](http://www.securityinfowatch.com/11296951)**



**LINEAR LLC, BOOTH #20053** Linear Enterprise is a browser-based, embedded network appliance and access control system available through select Linear dealers designed for large-scale installations. The system offers remote management, low total cost of ownership (TCO), an easy path to VMS integration, and a unique license key system that makes integration and expansion easier than ever. **To request more info, visit [www.securityinfowatch.com/11313946](http://www.securityinfowatch.com/11313946)**



**LOGICMARK, BOOTH #7041** The CaretakerSentry PERS from LogicMark provides a standard pendant that is fully supervised, waterproof and has a five-year battery. It also supports two-way pendants and emergency wall communicators. It communicates with the central station via POTS, VoIP or cellular. **To request more info, visit [www.securityinfowatch.com/11313976](http://www.securityinfowatch.com/11313976)**



**MARCH NETWORKS, BOOTH #20657** March Networks' newest version of its Command Video Management System (VMS) software — version 1.7 — introduces an interface redesign that enhances the user experience and speeds investigation times. New features include motion histogram functionality; interactive mapping and more. **To request more info, visit [www.securityinfowatch.com/11314007](http://www.securityinfowatch.com/11314007)**



**MARKS USA, BOOTH #12043** Teachers can lock down a classroom instantly with MARKS USA's Loc-Down Intruder Locksets. The cylindrical locksets are designed to be locked or unlocked from the exterior with the interior always open; however, they also allow a teacher to secure the classroom without stepping into the hallway to lock the outside handle. **To request more info, visit [www.securityinfowatch.com/10889196](http://www.securityinfowatch.com/10889196)**



**iCube**  
1.0 Megapixel  
Self Recording Wifi  
Two Way Audio  
IR PIR Network Camera

ONVIF

**Bolide**

HD 720p

PIR alarm goes off instantly when motion is detected.

**Great for alarm verification.**

2 Year Warranty, HD 720p, WiFi, PIR, Night Vision, Email Alert, Motion/Alarm Recording, Local SD Recording, Two-way audio communication, Onvif compliant, Alarm In/Out, Mechanical IR cut filter, Free Bolide DDNS, Free iOS/Android apps

**iCube Outstanding Features:**

- 1280 x 720 (1.0 Mega Pixel)
- Advanced motion detection with alarm
- Local SD recording
- Wifi connection
- Night vision IR
- Motion / Alarm Recording
- Email alert
- Motion local alarm
- Two-way audio communication
- Onvif compliant
- Alarm In/Out
- Mechanical IR cut filter
- Free Bolide DDNS
- Free iOS/Android apps

**iPac**  
The Ease of Plug and Play.

**www.bolideco.com**

**BOLIDE**  
TECHNOLOGY GROUP

ISO 9001:2008 Certified

468 South San Dimas Avenue, San Dimas CA 91773  
Tel: (909) 305-8889 | Fax: (909) 305-0999





**MATICA TECHNOLOGIES, BOOTH #22128** The Matica Espresso is a compact desktop ID card printer designed for applications such as employee ID badges, access control cards, student IDs, transit cards and more. Available in single- and dual-sided configurations to easily meet printer needs for single- or dual-sided cards, they offer optional WiFi and Ethernet connectivity. **To request more info, visit [www.securityinfowatch.com/11314014](http://www.securityinfowatch.com/11314014)**

### MAVIN TECHNOLOGIES, BOOTH #1053

Mavin's Security Management Platform seamlessly integrates modules for access control, people and credential management, alarm monitoring, action and event scheduling, front desk identity verification, and real-time device status monitoring. A cognitive, open architecture design allows for third-party integrations and plug-ins to digital video, intrusion detection and fire systems. **To request more info, visit [www.securityinfowatch.com/11314019](http://www.securityinfowatch.com/11314019)**



### MICROPOWER TECHNOLOGIES, BOOTH #32101

The Helios day/night camera from MicroPower Technologies captures and transmits IR-illuminated video data wirelessly up to half a mile. Powered by solar energy and a lithium battery, the camera consumes less than a tenth of the power of a standard IP camera, with continuous operation for up to five days on a single charge. **To request more info, visit [www.securityinfowatch.com/11314026](http://www.securityinfowatch.com/11314026)**

### MIDDLE ATLANTIC PRODUCTS, BOOTH #28073

The SNE Series from Middle Atlantic is a family of enclosures designed to meet the specific requirements of IP, analog and hybrid security systems. Security Network Enclosures are available in 4 configurations for common security challenges that take system type, wiring needs, cooling requirements and rack location into consideration. **To request more info, visit [www.securityinfowatch.com/10930369](http://www.securityinfowatch.com/10930369)**



### MILESTONE SYSTEMS, BOOTH #20060

The Milestone Husky series of embedded network video recorders (NVRs) come pre-installed with Milestone's award-winning XProtect video management software (VMS). Customizable and scalable, each of the three available models instantly connect with a wide selection of cameras, and two models can be configured with more than 50 options. **To request more info, visit [www.securityinfowatch.com/11314033](http://www.securityinfowatch.com/11314033)**



### MOBOTIX, BOOTH #18051

The M15 camera platform from Mobotix offers two exchangeable 5 Megapixel sensor modules. The platform is IP66 certified and has been successfully tested at a temperature range from -30 °C to +60 °C. Available through authorized distributors and partners, the unit does not need any additional housing, fans, heating etc. **To request more info, visit [www.securityinfowatch.com/11314037](http://www.securityinfowatch.com/11314037)**



### MONITRONICS, BOOTH #22057

Using the exclusive eContract electronic contract application, Monitronics authorized dealers can complete an electronic version of each contract in the customer's home on an iPad or Android tablet. A PDF is then sent instantly to the company and the customer. Updates scheduled for 2014 include Canadian, state-specific and Spanish language contract versions. **To request more info, visit [www.securityinfowatch.com/11314039](http://www.securityinfowatch.com/11314039)**



### MORPHOTRAK, BOOTH #8089

The MorphoAccess SIGMA Series biometric access reader combines Morpho performance with Bioscrypt features with full compatibility for legacy Bioscrypt and Morpho customers while offering new customers the opportunity to upgrade. For both access control and time-and-attendance applications, it implements more than 20 patents for biometric identification with other innovative features. **To request more info, visit [www.securityinfowatch.com/11118831](http://www.securityinfowatch.com/11118831)**



### MORSE WATCHMANS, BOOTH #31087

The KeyWatcher Touch enterprise key control and management system from Morse Watchmans has a bright 7-inch touchscreen and easy-to-use interface. KeyAnywhere enables

users to return a key to any KeyWatcher in the enterprise. Every transaction is automatically recorded, and each unit features the patented SmartKey system, modular design and full scalability. **To request more info, visit [www.securityinfowatch.com/10338550](http://www.securityinfowatch.com/10338550)**



**NAPCO, BOOTH #12043** For dealers faced with the absence or uncertainty of traditional telephone lines and the popularity of VoIP internet



telephone usage, Napco has developed Net-Link internet/intranet reporting modules to communicate alarms over the internet or intranet over a TCP/IP based network using dynamic IP addressing. They can be used for primary and/or backup reporting. **To request more info, visit [www.securityinfowatch.com/11314045](http://www.securityinfowatch.com/11314045)**

**NICE SYSTEMS, BOOTH #11045** NICE Situation's new mobile and web capabilities extend situation management from the control room to the field, while providing advanced tools for

handling complex, multi-stakeholder incidents in information-rich environments. The latest release also improves visualization of incidents by integrating with advanced organizational and global mapping resources. **To request more info, visit [www.securityinfowatch.com/10247286](http://www.securityinfowatch.com/10247286)**



**NITEK, BOOTH #8032** The EL4500C from Nitek quickly turns any ordinary RG59 coax cable into a high-speed network communication path for distances up to 500 meters. The unit couples an environmentally hardened four-port PoE+ Network Switch with Nitek's Etherstretch technology. It includes a four-port transmitter, receiver and a power supply which requires no set up or configuration. **To request more info, visit [www.securityinfowatch.com/11314054](http://www.securityinfowatch.com/11314054)**

**ONSSI, BOOTH #11075** Ocularis Mobile, utilizing OnSSI's High Definition Interactive Streaming (HDIS) technology, delivers full-motion playback of up to 16 HD megapixel cameras at full resolution and at each camera's original frame-rate (up to 30 fps), over low-bandwidth connections. It fully controls each camera for playback and digital zooming from an iPad, iPhone or Android device. **To request more info, visit [www.securityinfowatch.com/11314049](http://www.securityinfowatch.com/11314049)**



**OPTELLIOS, BOOTH #25123** The FiberPatrol FP1100-X system from Optellios features advanced fiber-optic sensor technology that can

## CLEAN, ACCURATE, STEADY POWER.

AccuPower

Securitron AccuPower  
Works Better for Access Control

SWITCHING POWER SUPPLIES

SDI-AA0314

Power Supplies

- AQD Dual Voltage
- AQM Multi Voltage
- AQU Single Voltage

EAS

Electronic Access Specialists

A Division of  
**SOUTHERN LOCK**  
southernlock.com

Gabe Esteva  
Electronics Department Supervisor

Southern Lock: • Largo, FL 1-800-282-2837 • Atlanta, GA 1-877-217-9396 • Charlotte, NC 1-888-571-9145 • Pompano Beach, FL 1-888-780-6071

Request information: [www.securityinfowatch.com/10215166](http://www.securityinfowatch.com/10215166)



pinpoint the location of an intrusion attempt to within one or two fence panels. The system reports the coordinates of an attempted breach, which can be used for activating corresponding PTZ camera presets and for personnel dispatch. **To request more info, visit [www.securityinfowatch.com/11314063](http://www.securityinfowatch.com/11314063)**



**PANASONIC, BOOTH #14039** Panasonic will display two IP66-rated outdoor weather- and vandal-resistant HD and Full HD fixed dome network cameras at ISC West. The 1080p model (WV-SFV631L) and 720p model (WV-SFV611L) are available through authorized Panasonic resellers. Engineered for any lighting conditions, the cameras produce high-definition resolution at 60 frames per second. **To request more info, visit [www.securityinfowatch.com/11304862](http://www.securityinfowatch.com/11304862)**

**PELCO BY SCHNEIDER ELECTRIC, BOOTH #18037** Pelco by Schneider Electric and Oncam Grandeye have partnered to deliver the Evolution 360-degree cameras. Oncam's patented de-warping technology enables users to go back in time to retrospectively view the total scene in its original form and then pan, tilt and/or zoom (PTZ) within the 360-degree image, as if it were a live image. **To request more info, visit [www.securityinfowatch.com/11314073](http://www.securityinfowatch.com/11314073)**



**PLATINUM TOOLS, BOOTH #4045** Platinum Tools will feature its new 22-in-1 Security Screwdriver Kit at ISC West. Designed specifically for security professionals, this set provides versatility for both security and traditional applications. The handle features a non-slip, comfort grip and a shaft design that reaches screws recessed up to five inches deep. **To request more info, visit [www.securityinfowatch.com/11314079](http://www.securityinfowatch.com/11314079)**

**PPM 2000, BOOTH #34078** PPM's Perspective SOC incident management software combines computer-aided dispatching with incident reporting and data collection for faster command and control response. Service requests are documented, including initiation and deployment. Users can execute standard operating procedures, trigger alerts and notifications, and turn a closed dispatch into an incident report. **To request more info, visit [www.securityinfowatch.com/11314084](http://www.securityinfowatch.com/11314084)**



**QUANTUM SECURE, BOOTH #14135** Quantum Secure's SAFE Physical Identity and Access Manager (PIAM) centrally manages physical

identities and access across diverse physical security systems while maintaining compliance. Version 4.8 increases functionality with email-based approval and denial of physical access requests; ability to build spatial hierarchy for access control provisioning; escort sign-in/-out with visitor check-in and -out and more. **To request more info, visit [www.securityinfowatch.com/11314091](http://www.securityinfowatch.com/11314091)**




**QUINTRON, BOOTH #3057** Quintron's RDS-1 network appliance technology is a "traditional server replacement" that delivers everything needed for an eight-door system, upgradable to 32 doors, in a single pre-configured device. Application software, as well as the database and administrative utilities are all ready to use without any loading or configuration. **To request more info, visit [www.securityinfowatch.com/11314096](http://www.securityinfowatch.com/11314096)**



**RBTEC PERIMETER SECURITY, BOOTH #32087** The Ironclad perimeter intrusion detection system from RBtec is meant to detect intruders when the fence is cut, climbed or jumped to give an extra 5-10 minutes to react and stop the intruders. Each analyzer can monitor up to two 1,000-ft. zones. **To request more info, visit [www.securityinfowatch.com/11314102](http://www.securityinfowatch.com/11314102)**



**RGB SPECTRUM, BOOTH #30098** RGB Spectrum's MultiPoint Control Room Management System (MCMS) integrates multiple disparate systems without requiring custom software. Ideal for command centers, SOCs, EOCs, industrial/process control and SCADA system integration, it combines real-time display and control room



management with secure, multi-user KVM control of both local and remote computers. **To request more info, visit [www.securityinfowatch.com/11314110](http://www.securityinfowatch.com/11314110)**



**RUTHERFORD CONTROLS, BOOTH #8099** The slim, adjustable design of the new 0563 half-inch Rim Strike from Rutherford Controls, a DORMA group company, makes it the perfect solution for tight-fitting installations. The strong, durable surface-mounted (no frame cutting required) strike is designed to work with Pullman latch rim exit devices and most door frame materials. **To request more info, visit [www.securityinfowatch.com/11313823](http://www.securityinfowatch.com/11313823)**

**SALIENT SYSTEMS, BOOTH #26101** Version 4.2 of Salient Systems' CompleteView VMS has been enhanced with camera auto detection, Axis edge storage and light control support, click-to-center PTZ control and an improved mobile user interface. POS TransactionTracker integrates with point-of-sale systems to deliver insights and actionable detail for a loss prevention strategy. **To request more info, visit [www.securityinfowatch.com/11314123](http://www.securityinfowatch.com/11314123)**



**SAMSUNG TECHWIN AMERICA, BOOTH #14079** Samsung's new SRM-872 is a full-featured, eight-channel NVR for mobile use with POE to power all connected cameras. Designed to withstand the extreme environments faced in the mobile and railroad industries, it has only one single DIN. Includes built-in VGA/HDMI out for HD monitor connection with full menu-driven mouse support. **To request more info, visit [www.securityinfowatch.com/11314128](http://www.securityinfowatch.com/11314128)**



**SECURA KEY, BOOTH #9140** Secura Key's NOVA.16 (Model SK-MRCP) multi-reader access control panel is a technology upgrade to the company's legacy SK-NET system. The panel connects to the local area network, along with a high-speed, RS485 peripheral network consisting of up to 16 single-door Smart Readers that control and monitor a single door. **To request more info, visit [www.securityinfowatch.com/11314131](http://www.securityinfowatch.com/11314131)**



# Free the equity you've built to realize your dreams

Alarm Capital Alliance has completed  
over 750 portfolio acquisitions.

ACCOUNT & COMPANY ACQUISITIONS  
INDEPENDENT DEALER PROGRAM



Start the conversation today!  
888-885-8656 | [alarmcapital.com](http://alarmcapital.com)

Request information: [www.securityinfowatch.com/10746349](http://www.securityinfowatch.com/10746349)

# Introducing



**RepsForSecurity™** is the security industry's primary source of information for and about its **Manufacturers Representatives.**

- Locate Reps by Product Line, Manufacturer, and Territory
- Determine individual Rep firm capabilities
- Identify Product Lines seeking Reps ... and Reps seeking Product Lines
- Understand the value of using Reps
- Learn best practices
- Identify industry resources

[www.RepsForSecurity.com](http://www.RepsForSecurity.com)  
[info@RepsForSecurity.com](mailto:info@RepsForSecurity.com)

Request information: [www.securityinfowatch.com/10300750](http://www.securityinfowatch.com/10300750)



**SECURITRON, BOOTH #8061** Capable of mounting on glass, stone, granite or marble entryways, Securitron's R100 Surface Mounted Wireless Reader with Aperio technology significantly extends the reach and application of access control, when paired with a variety of hard-wired electromagnetic or electric locking devices. Installation requires no drilling or pulling of wires to the door. **To request more info, visit [www.securityinfowatch.com/11314136](http://www.securityinfowatch.com/11314136)**



**SECURITY DOOR CONTROLS (SDC), BOOTH #20109** SDC's EA100 Exit Annunciator is a multi-mode signaling device that visibly communicates the status of the door opening by color and sequence. With a 180° viewing angle, it can be mounted on the magnetic lock of any manufacturer or on the door frame, wall, ceiling or nurse's desk. **To request more info, visit [www.securityinfowatch.com/11314878](http://www.securityinfowatch.com/11314878)**



**SENSTAR, BOOTH #25117** FlexZone from Senstar detects and locates any attempt to cut, climb or otherwise breach a fence — even when there are simultaneous intrusions and in the presence of background environmental noise. High-speed sampling and advanced algorithms enable it to discriminate between intrusion signals and environmental noise. **To request more info, visit [www.securityinfowatch.com/11314145](http://www.securityinfowatch.com/11314145)**



**SENTRY360, BOOTH #6117** SentryEdge NVRs from Sentry360 allow for flexible video management software options as well as versatile storage options such as NAS, RAID or other third-party systems. Designed for entry-level systems with the mini-series, or enterprise-class deployments with the pro series, the scalable NVRs come with solid state drives, Intel processors and high wattage PoE ports. **To request more info, visit [www.securityinfowatch.com/11297612](http://www.securityinfowatch.com/11297612)**



**SENTRY VIEW SYSTEMS, BOOTH #5051** The SentryPOWER POD Power-On-Demand system from Sentry View Systems is a self-contained unit in a 5U configuration for hybrid power input from up to three sources. Features include web interface for setup and maintenance, power I/O and battery state monitoring and logging, programmable power relays, contact closure inputs, and built-in network switch. **To request more info, visit [www.securityinfowatch.com/11314155](http://www.securityinfowatch.com/11314155)**



**SILENT KNIGHT, BOOTH #11039** The SK-FIRE-CO Detector from Silent Knight by Honeywell senses both fire and carbon monoxide and greatly reduces nuisance alarms. The detector satisfies new CO legislation that

many states are implementing for commercial properties. The unit's sounder base provides distinct tones for a fire vs. a CO emergency for further compliance. **To request more info, visit [www.securityinfowatch.com/11248365](http://www.securityinfowatch.com/11248365)**



**SMARTER SECURITY INC., BOOTH #23129** The Fastlane Glassgate 300 from Smarter Security offers openness and high security, with barriers up to five feet high. Offered in three heights, the IP-enabled optical turnstile has a minimal pedestal frame without ends. Combined with glass side panels and swinging glass barriers, it maximizes the visual impact of a lobby. **To request more info, visit [www.securityinfowatch.com/11174178](http://www.securityinfowatch.com/11174178)**



**SONY, BOOTH #11063** The SNC-HM662 360 degree hemispheric-view dome IP camera from Sony features a 360-degree panomorph lens and is certified as an "ImmerVision Enables" solution. Ideal for both indoor and outdoor environments, it supports fast, responsive electronic PTZ and 11 different viewing modes through the Sony Web viewer. **To request more info, visit [www.securityinfowatch.com/11314164](http://www.securityinfowatch.com/11314164)**



**STANLEY SECURITY, BOOTH #30072** Pacom Unison from Stanley Security is an open, integrated security management platform that enables organizations to integrate different systems and streamline operations. Integrating a range of systems from different manufacturers, it enables users to manage access control, intrusion detection, surveillance, fire, building services and intercoms from a single platform. **To request more info, visit [www.securityinfowatch.com/11314170](http://www.securityinfowatch.com/11314170)**



**STI, BOOTH #11089** STI's UL/cUL Listed Metal Protective Cabinets come in a variety of sizes to house different electronic devices. They protect equipment from hazardous parts and provide a degree of protection to against dirt. **To request more info, visit [www.securityinfowatch.com/11116588](http://www.securityinfowatch.com/11116588)**



**STOPWARE, BOOTH #9077** STOPware will demonstrate market-specific additions to its visitor management portfolio, including PassagePoint PIV Module, which enables government users to process visitors using PIV-compliant credentials that meet HSPD-12; and an integration with Lenel's OnGuard system. **To request more info, visit [www.securityinfowatch.com/11314179](http://www.securityinfowatch.com/11314179)**



**SYSTEM SENSOR, BOOTH #10039** System Sensor will display low frequency sounders and sounder strobes that meet NFPA 72 requirements for commercial sleeping spaces. For regions that have adopted the 2010 or 2013 edition of NFPA 72, all new commercial sleeping spaces are required to use a device that produces a low-frequency tone centered around 520 Hz. **To request more info, visit [www.securityinfowatch.com/11129617](http://www.securityinfowatch.com/11129617)**



**TALK-A-PHONE, BOOTH #24109** WEBS Contact Plus from Talk-a-Phone is a hosted, Software as a Service (SaaS) mass notification solution that makes it easy to send notifications through a range of media to defined recipients and WEBS-enabled devices. Notifications are sent through phone, SMS (text message), email and mobile app. **To request more info, visit [www.securityinfowatch.com/11308779](http://www.securityinfowatch.com/11308779)**



**TELGUARD, BOOTH #17101** Telguard HomeControl interactive services are now available for DSC PowerSeries and IMPASSA panels. Coupled with Connect24 cellular service, it is offered in two service levels: The Interact service level includes basic notifica-



tions, advanced notifications based on sensor activity, and remote arming. The Control service level allows the incorporation of Z-Wave devices. **To request more info, visit [www.securityinfowatch.com/11314185](http://www.securityinfowatch.com/11314185)**

**TOSHIBA, BOOTH #30078** An all-in-one IP video network storage and management solution, Toshiba's NVSPRO servers empower organizations to scale IP video surveillance systems to be able to archive larger volumes of video or support as many as 64 megapixel IP cameras. **To request more info, visit [www.securityinfowatch.com/10877502](http://www.securityinfowatch.com/10877502)**



**ULTRA ELECTRONICS, BOOTH #14115** UltraSecure is a new line of technology cards from Ultra Electronics designed for proximity access control systems. Compatible with 26-40 bit proximity systems including




## HIGH SECURITY CONTACTS

Immediately available in 11 contact styles, High-Security switches create the ultimate security protection for Jewelry Stores, Document Vaults, Gun Safes and other high value targets.

### HIGH SECURITY SWITCH

#### PRINCIPLE OF OPERATION AND INSTALLATION INSTRUCTIONS



The high security field is created by balancing the external and internal magnetic fields. Attempting to bring an external magnet to defeat the security switch triggers the alarm.

### TANE ALARM PRODUCTS

906 JERICHO TURNPIKE, NEW HYDE PARK, NY 11040  
Tel: 800-852-5050 • 516-328-3351 • Fax: 516-326-9125  
[www.tanealarm.com](http://www.tanealarm.com) • E-MAIL: [info@tanealarm.com](mailto:info@tanealarm.com)

Request information: [www.securityinfowatch.com/10215295](http://www.securityinfowatch.com/10215295)



all standard and most custom formats, an advanced read/write data chip enables the card to hold one of 137 billion unique security codes. **To request more info, visit [www.securityinfowatch.com/11314191](http://www.securityinfowatch.com/11314191)**

**VERINT, BOOTH #30056** Nextiva Situation Management Center (SMC) is Verint's next-generation Situation Management solution to provide organizations with the ability to mitigate and prevent risks, respond quickly to events and reduce operational cost. The system also enables compliance with federal and industry regulations by enforcing standard operating procedures. **To request more info, visit [www.securityinfowatch.com/11314194](http://www.securityinfowatch.com/11314194)**



**VICON, BOOTH #22075** HDEExpress from Vicon records up to 16 channels of 1080p network video while requiring no additional hardware for installation. Users simply connect a range of 1080P network cameras to the device's camera ports and it detects and configures them while delivering PoE power. **To request more info, visit [www.securityinfowatch.com/11239031](http://www.securityinfowatch.com/11239031)**



### VIDEO MOUNT PRODUCTS (VMP), BOOTH #1046

Video Mount Products will feature its new 19-inch Equipment Rack Enclosure (EREN) series at ISC West, including the EREN-18, EREN-27 and EREN-42E. The enclosures come with integrated cooling fans and lockable, removable side panels (with optional locks). **To request more info, visit [www.securityinfowatch.com/11314201](http://www.securityinfowatch.com/11314201)**



**WAVESTOREUSA, BOOTH #7125** WavestoreUSA will showcase the newest version of its video management software, V5.42.



Compliant with ONVIF Profile-S, users can quickly access valuable video data for investiga-

tions. Layout enhancements provide at-a-glance insight into video data and security trends across a surveillance system's infrastructure. **To request more info, visit [www.securityinfowatch.com/11314207](http://www.securityinfowatch.com/11314207)**

**WINSTED, BOOTH #20081** Ideal for control rooms, E-SOC control stations from Winsted are part workstation, part console and completely adaptable. Ergonomic enhancements



improve operator performance and result in greater situational awareness

when monitoring complex systems. The units feature Winsted's Versa-Trak monitor mounting system. **To request more info, visit [www.securityinfowatch.com/10887290](http://www.securityinfowatch.com/10887290)**

**ZENITEL USA, BOOTH #22103** Based on native IP technology, Exigo from STEN-TOFON/Zenitel USA is an advanced, scalable system specifically designed to meet the demands and needs of PA and general alarms. Applications include: railroads and transit; schools and universities; airports; manufacturing; warehouse facilities; or any application requiring PA and general announcements. **To request more info, visit [www.securityinfowatch.com/11300588](http://www.securityinfowatch.com/11300588)**



**ZWIPE, BOOTH #5055** Zwipe will introduce its new, next-generation biometric card — a contactless smart card credential with on-card fingerprint reading — at ISC West. Eliminating the problem of solely deploying PINs and standard cards, the wirelessly powered card enables users to authenticate themselves directly on the card by quickly reading the user's fingerprint in less than a second. **To request more info, visit [www.securityinfowatch.com/11297061](http://www.securityinfowatch.com/11297061)**



# together we can...



educate



inspire



nourish



heal



By supporting Mission 500, you can join the legions of security professionals who are donating their time and resources to help improve the lives of children around the world. Just \$35 a month provides food, education and healthcare services to a child in need. A small investment in our collective future. Together with Mission 500 we can make a difference.

Find out how you can help by emailing us at [pr@mission500.org](mailto:pr@mission500.org), or calling George Fletcher directly at 305-321-3193.



Request information: [www.securityinfowatch.com/10487869](http://www.securityinfowatch.com/10487869)

[www.SecurityInfoWatch.com](http://www.SecurityInfoWatch.com) | SD&I | March 2014